

## Test Report

No.: SZTYR060828071/LP

Date: AUG 19, 2006

Page 1 of 1

CHIBA ADDITIVE SELL STORE  
YANG GONG ZHOU INDUSTRIAL ESTATE,  
SHA TIAN TOWN, DONGGUAN CITY,  
GUANGDONG PROVINCE, CHINA

Report on the submitted samples said to be ACID COPPER BRIGHTENER A

SGS Ref No. : 10045395-4.1  
Model No. : A  
Sample Receiving Date : AUG 17, 2006  
Testing Period : AUG 17, 2006 TO AUG 19, 2006

Test Requested : 1) Determination of Lead content in the submitted samples.  
2) Determination of Cadmium content in the submitted samples.  
3) Determination of Mercury content in the submitted samples.  
4) Determination of Hexavalent Chromium content in the submitted samples.

Test Method : 1) Acid digestion. Analysis was performed by ICP.  
2) Acid digestion. Analysis was performed by ICP.  
3) Acid digestion. Analysis was performed by ICP.  
4) With reference to EPA Method 3060A & 7196A for plastic samples. Analysis was performed by UV-VIS Spectrophotometer.


Test Results :

<u>Element</u>	<u>Deep blue liquid (A)</u>	<u>Detection Limit</u>
1) Lead (Pb)	N.D.	2 ppm
2) Cadmium (Cd)	N.D.	2 ppm
3) Mercury (Hg)	N.D.	2 ppm
4) Hexavalent Chromium (Cr <sup>6+</sup> )	N.D.	2 ppm


Note : - N.D. = Not detected (lower than detection limit)  
- ppm = mg/kg  
- Photo Appendix is included.

\*\*\* End of Report \*\*\*

Signed for and on behalf of  
SGS-CSTC Ltd.

  
Li Ying, Susan  
Section Manager

This Test Report is issued by the Company subject to its General Conditions of Service printed overleaf or attached. Said Conditions are also available upon request or are accessible at [www.sgs.com](http://www.sgs.com). Attention is drawn to the limitations of liability, indemnification and jurisdictional policies defined therein. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 90 days only. This Test Report shall not be reproduced except in full, without written approval of the Company.



SZTYR060828071